

# laser J flash

COMPOSITION  
100% Polyester  
Trevira CS

FASTNESS TO LIGHT  
(UNI EN ISO 105-B02) 6  
(blue scale) - Xenotest

FASTNESS TO RUBBING  
(UNI EN ISO 105-X12) 4-5  
(grey scale)

ABRASION RESISTANCE  
(Martindale) UNI EN ISO  
12947-2 100000 rubs  
±10%

  
Flame Resistant

M



9421 Carminio



9417 Rubino

9382 Ruggine

9416 Testa di moro

9309 Granito

9302 Zolfo

9114 Arenaria



9106 Basalto

9207 Marrone

9503 Malva

9515 Prugna

9596 Ametista

9606 Azzurro



9605 Azzurro ceruleo

9671 Blu

9614 Blu oltremare

9698 Blu di Prussia

9691 Verde petrolio

9729 Verde Pino



9707 Verde scuro

9721 Verde prato

9725 Oliva

9843 Cenere

9804 Grigio

9809 Grigio Piombo

# gaja



**COMPOSITION**  
100% Pure worsted  
wool

**FASTNESS TO LIGHT**  
(UNI EN ISO 105-B02) 5

**FASTNESS TO RUBBING**  
(UNI EN ISO 105-X12) 4-5

**ABRASION RESISTANCE**  
(Martindale) UNI EN ISO  
12947:2000 50000 rubs

  
Flame Resistant

# M



6851 Verde chiaro



6999 Nero

6019 Grigio scuro

6403 Rosso

6316 Arancio

6004 Blu

6002 Carta da zucchero

fame



COMPOSITION  
95% Pure wool  
5% Polyamide


FASTNESS TO LIGHT  
(UNI EN ISO 105-B02) 5

FASTNESS TO RUBBING  
(UNI EN ISO 105-X12) 4-5

ABRASION RESISTANCE  
(Martindale) UNI EN ISO  
12947:2000 200000 rubs

  
Flame Resistant

M



F032 Blu notte



F999 Nero

F003 Grigio

F016 Arancio

F119 Geranio

F075 Blu

F035 Verde